风驰机械
FENGCHI

SUPERIOR

CUSTOMIZATION OF REVOLUTIONARY RIMS

艺 术 轮 辋 高 端 定 制 化

2020 - Product Catalogue

风驰机械遵循不断创新的理念，对本画册所载内容保留最终解释权。我们的产品设计均为研发方案，拥有产品实样，而非已生产的存量现货。最终执行和交易以订单要求为准。

Fengchi Machinery follows the concept of continuous innovation and retains the final interpretation of the contents of this album. Our product designs are R & D programs with product samples other than the stock which has been produced. Final execution and transaction is subject to the order requirements.

2020 年 01 月印

AS THE PARTNER OF ONE OF THE WORLD'S TOP 500 COMPANIES, OUR PRODUCT ARE TESTED WITH THE HIGHEST STANDARDS FOR THE HONDA MOTOR COMPANY

世界500强合作伙伴，日本本田高标准考验

To Build The Best Off-The-Road Wheel Brands For Our Valued Customers!

董事长: 潘卫民

PRESIDENT: Pan Weimin

目录 | CATALOGUE

焊接铝轮
FSW Aluminum Wheel 06-09

公司简介
Company Profile 10-19

小型农机
Small Agricultural Machinery 20-31

大型农机
Large Agricultural Machinery 32-36

全地形车
All Terrain Vehicles 37-39

工程机械
Construction Machinery 40

高尔夫车
Golf Carts P 41

平衡车
Balance Scooters 42

拖车
Trailers 43

叉车
Forklifts 44-45

扫雪车
Snow Sweepers 46

摩托车
Scooters 47-48

FSW ALUMINUM WHEEL

焊接铝轮



We supply the world with aluminum wheels made from world class distinctive processes

向世界宣告，
我们已掌握全新的焊接铝轮生产工艺

风驰创新设计的“创飞 CHAINFLLY”系列铝轮产品，致力于为高端沙滩车、越野车解决轻量化和操控性难题，目前已成功为庞巴迪、北极星、春风动力等顶级品牌配套服务。区别于传统的铝轮加工工艺，我们采用先进的航空级 FSW 焊接技术，将铝板滚压的轮辋和低温铸造的轮辐进行组合，从而大幅减轻车轮重量，提升车轮的抗冲击能力，减少能耗和污染。

基于相同规格尺寸的 15 寸焊接铝轮和铸造铝轮测试数据对比：
1. 重量比铸造铝轮轻 20%，车辆的提速和制动更快，转向操控更好，刹车更短，油耗更省。
2. 强度优于铸造铝轮 1.5 倍，全包边轮辋不易变形断裂，保证车辆在恶劣地形下行驶更安全。
3. 滚压和低温铸造工艺比传统的高温铸造工艺节能 50%，促进制造环节更加绿色环保。

Fengchi's innovative “CHAINFLLY” series of aluminum wheels are dedicated to addressing issues of weight and control for ATVs. Presently, we have successfully provided services for top brands such as Bombardier, Polaris and CFmoto. Different from the traditional processing, we use advanced aerospace-grade FSW welding technology to combine aluminum plate rolling rims and casting spokes, thereby greatly reducing wheel weight, while improving impact resistance and reducing energy consumption.

Comparison of test data for our 15-inch FSW aluminum wheel and a traditional cast aluminum wheel based on the same size:
1. The weight is 20% lighter than the cast aluminum wheels. The vehicle's speed increases, the steering control is better, the brakes are more responsive, and the fuel consumption is more economical.
2. The strength is 1.5 times better than the cast aluminum wheel. The all-inclusive side rim is not easy to deform and break, ensuring that the vehicle is safer to drive under the harsh terrain.
3. The rolling and low-temperature casting process saves 50% energy compared to the traditional high-temperature casting process, and promotes a more environmentally friendly manufacturing process.

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔	MODELS 适用车型
12x6.0	12060042	23	Φ 60	Φ110	4-Φ15	CFMOTO ZFORCE
12x7.5	12075042	23	Φ 60	Φ110	4-Φ15	CFMOTO ZFORCE

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔	MODELS 适用车型
14×7.0	14070050	30	Φ 86	Φ137	4-Φ13	POLARIS SPORTSMAN

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔	MODELS 适用车型
14×7.0	14070039	46	Φ 80	Φ156	4-Φ13.5	POLARIS RZR

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔	MODELS 适用车型
15×7.0	15070019	46	Φ 80	Φ136	4-Φ15.1	CAN-AM MAVERICK X3

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔	MODELS 适用车型
15×7.0	15070019	46	Φ 80	Φ136	4-Φ15.1	CAN-AM MAVERICK X3

COMPANY PROFILE

公司简介

An Elite Chinese Wheel Brand For The World.

塑造世界的中国轮辋品牌

浙江风驰机械有限公司是一家专业生产非公路低速车辆轮毂的企业，成立于 1994 年，目前产品已应用于美国、日本、欧洲等市场，是中国大陆低速轮毂品类最丰富的企业，同时具有产品和设备的双重研发实力。风驰以“多品种、小批量、精品化”的服务优势，为客户提供艺术轮毂高端定制化的解决方案。

董事长潘卫民作为中国轮毂领域的资深专家，是最早探索国内市场的先行者，在经历特殊时代的成长和市场风云的历练之后，打造出一支敢于挑战一切“不可能”的专业技术团队。上千次的新品研发经验，国际领先的工艺体系，让风驰成长为可与世界一线轮毂品牌同场竞技的实力企业。

Founded in 1994, Zhejiang Fengchi Mechanical Co., Ltd. is a professional manufacturer of rims for non-highway low-speed vehicles. Up to now, our products have been applied in America, Japan, Europe and many other markets. Fengchi has the most variety of low-speed rims from mainland China and twice as much R&D strength for our products and equipment. Fengchi can provide customers with high-end customized solutions for special projects by virtue of our service advantage, “multi-type, small batch and always the best quality”.

As a senior expert in the field of rim in China, Chairman Pan Weimin was the first to explore the domestic Chinese market. With growth and experience in this special era and within the domestic market, he created a professional technical team capable of challenging all “impossibilities”. Thousands of experiences in the R&D of new products and the world’s leading process systems, make Fengchi a powerful enterprise that can compete with the top leading wheel manufacturers in the world.

As the partner of one of the world's top 500 companies, our products are tested with the highest standards for the Honda Motor Company

世界 500 强合作伙伴，日本本田高标准考验

风驰主要配套产品广泛应用于农用机械、园林机械、工程机械、全地形车、摩托车、电动车及电动汽车等领域。公司严格按照日本本田的高品质标准进行管理，作为本田公司指定的“中国大陆唯一返销日本的轮毂制造企业”， 20 年来风驰产品持续供应日本市场，全部按照本田 QAV 标准进行验收。同时以卓越的服务，成为诸多世界 500 强企业的合作伙伴，并被约翰迪尔公司指定为“优秀供应商”。风驰的国际化步伐，塑造了中国轮毂品牌的世界形象。

The main ancillary products of Fengchi are widely used in farm machinery, garden machinery, construction machinery, all terrain vehicles, motorcycles, electric vehicles and other applications. Our Corporate management is strictly in accordance with high quality standards of The Honda Motor Company. As “the only rim manufacturing enterprise with products sold back to Japan from mainland China”, Fengchi has been providing the Japanese market with many types of wheels over the past 20 years. All of these rims are accepted in accordance with QAV standards for Honda. At the same time, it has become the partner of many top 500 companies in the world by virtue of its excellent services and has been designated as “excellent supplier” by the John Deere Company. Fengchi’s pace of internationalization has helped shape the standard of great Chinese wheel manufacturing.

Wide range of product applications

产品应用领域广泛

25年如一日，以工匠精神专注低速轮毂领域

风驰拥有从产品设计、制样、测试、生产、涂装、装胎到仓储配送的整体解决能力。25 年始终专注低速轮毂领域，在实践中不断淬炼自己的工匠精神，以高于行业的普遍标准放大产品的每一处细节。今天，我们在国内构建了两大生产基地，同时在美国亚特兰大和加拿大多伦多设立两大配送中心，专心打造世界一流的低速轮毂企业，为中国轮毂品牌正名。

Fengchi has overall solutions for product design, sample preparation, testing, production, painting, tire loading and distribution of finished products worldwide. For the past 25 years, we have been concentrating on the field of low-speed rims, while cultivating our spirits in great craftsmanship and magnifying every detail of the products to exceed every general standard in the wheel industry.





To build industry-leading production line, allowing customers to design the perfect products.

构筑行业领先的生产线，让客户的设计方案完美落地

风驰构建了代表世界最高标准的专业生产线，具备生产种类丰富、尺寸不同的轮毂产品。拥有 30 多条机加工生产线，2 条涂装线，同时拥有多条高速冲压线、碰焊机、摩擦焊机、机器人等设备。

风驰不满足于对先进设备的引进，为更好的提升品质，公司自主研发了具有国家专利的滚圈机、智能焊接装置、柔性矫正模、自动装胎线等专业设备，将客户的产品方案完美转化。

Fengchi has built a dedicated production lines representing the world's highest standards and manufactured a variety of rim products for many industries. We have more than 30 production lines and 2 painting lines for manufacturing of steel rims, and multiple high-speed punch lines, spot-weld machines and robots.

Fengchi is not satisfied with just ordinary production equipment. In order to enhance the quality and perfectly transform the customer's product solution, Fengchi independently developed professional production equipment with national patents including rolling machines, intelligent welding devices and tire assembly machines.

The Fengchi Original "one-step shaping" process enhances and improves the quality level standards

独创“一步成型”工艺，提升行业品质水准

20 世纪九十年代，风驰公司首创的内撑式滚压成型机，彻底颠覆了传统钢轮的成型技术，把原来需要三个步骤才能成形的工艺简化到一个步骤完成，解决了钢轮的径轴向跳动问题，使之始终保持在 0.6mm 之内，且在疲劳试验和径向冲击试验后，轮圈均无损伤、裂纹、断裂和明显变形，真空胎无慢性漏气现象。“一台设备一副模具”的特点，大幅提升了样品开发效率，以及降低了产品制造成本。

In 1990's, Fengchi initiated an internal support-type roll forming machine, which totally subverted traditional molding technology of steel wheels. This simplified original process combines three steps into one step and solved radial and axial runout problem of steel wheels. That way the result is always within 0.6mm. After fatigue test and radial impact test, our rims were not damaged, cracked, broken, deformed, and the vacuum tire had no chronic air leakage. The characteristic of our "one device and one mould" has greatly enhanced the efficiency of sample development and reduced product manufacturing cost.

“一步成型”工艺 - Our process



发明专利 Patent
ZL201010144990.8

传统工艺 – Traditional process



一次滚压
One-time Rolling

二次滚压
Second-time Rolling

扩展成形
Expanding Forming



The Fengchi O-all-rimmed-type process separates us as an elite manufacturer

开启全轮毂工艺类型，成就行业的“极少数”

风驰技术不断进步，独创“O 型全包式轮辋轮廓”生产工艺，成为行业内极少数具备该工艺的轮毂制造企业。并且是世界范围内同时生产“敞开式轮辋轮廓、半包式轮辋轮廓、全包式轮辋轮廓”的极少数企业之一。风驰以强大的解决实力，提供更优越的轮毂和配件产品。

全包式轮辋轮廓工艺优势

1- 磕碰不易变形，抗压强度是敞开式或半包式轮毂的 2 倍。
2- “ O 型钢管原理”具有更好的减震效果，适用于高强度作业环境的车辆机械。
3- “ 全包式”造型结构可使轮辋采用更薄的材料，使轮毂整体轻量化。

Fengchi makes progress constantly and has created production technology of “O-all-rimmed wheel contour”. It has become the one of the few rim manufacturing enterprises with this process across the world. Besides, it is one of the very few enterprises simultaneously manufacturing “open-type rim contours, semi-rimmed rim contours and all-rimmed wheel contours” internationally. Fengchi also provides superior rims and accessories with powerful strength and solutions.

Advantage of all-rimmed rim contour process

1 - It is not easily deformed in case of bumps; its compressive strength is as great as an open type or semi-rimmed wheel.
2 - “Principles of O-type steel tube” have better damping effect and are applicable to vehicles and machinery in high-intensity working environment.
3 - “All-rimmed” modeling structure makes it possible for the rim to adopt thinner material and makes the overall wheel lighter.

敞开式轮辋轮廓
Open-type rim contour

半包式轮辋轮廓
Semi-rimmed rim contour

内全包式轮辋轮廓
Internal all-rimmed rim contour

外全包式轮辋轮廓
External all-rimmed rim contour



Experience for high-end customization development for thousands of proud clients

上千次的开发经验，成就轮毂高端“定制化”

为满足不同客戶差异性、高品质的产品需求，风驰专家进行了上千次的新品研发，不断挑战技术壁垒，打造出近 1000 多种轮毂产品，成为中国大陆低速车辆轮毂品类最全的企业。风驰具备生产直径 3 – 26 英寸，宽度 1.5 – 13 英寸的轮毂，跨越双片对焊式、滚压式、锁圈式、单片式产品结构。上千次的研发经验，多样化的产品种类，让风驰团队不但可以根据客戶既有的轮毂设计方案进行打造，更成就了风驰艺术轮毂的“高端定制化”，将每一个细节和个性化的需求完美呈现在产品制造中。

In order to meet different customers' demand for a variety of high quality products, Fengchi has carried out R&D of new products thousands of times to constantly overcome technical barriers to create over 1000 kinds of rim products. As a result, it has become an enterprise manufacturing the most variety of rims for low-speed vehicles from mainland China. Fengchi manufactures rims with diameters ranging from 3-26 inches and widths of 1.5-13 inches. Product structures includes two-piece butt welding types, rolling types, beadlock types and single-piece types. Fengchi's experience for R&D make it possible for our team to create according to existing rim design schemes of the customer and accomplish "high-end customizations" of specialized wheels. Every detail and personalized requirements are perfectly presented in our product manufacturing.

服务客户覆盖全球顶级企业，以品质超越期待

风驰轮毂已经出口到美国、欧洲、日本、东南亚等市场，产品最终的应用客户均为业内顶级企业，成为本田、约翰迪尔、铃木、雅马哈、纽荷兰、爱科、丰田等世界著名品牌的供应商。风驰完全可以从客户的产品战略出发，定制化打造更具竞争力的高品质轮毂产品，得到一致的认可和赞誉。今天，风驰已经迈出国门，在美国市场设立配送中心，将以更快速更高效的方式为客户提供高品质的服务，推动风驰不断进步。

Rims manufactured by Fengchi have been exported to USA, Europe, Japan,Southeast Asia and other markets. Our customers are top enterprises in the industry. We have become the most trusted supplier for world famous brands including Honda, John Deere, Suzuki, KYMCO, Yamaha, New Holland, Agco, and Toyota. Fengchi can customize competitive high-quality rim products according to the customer's product strategy to receive unanimous recognition for design and function. In the recent years, Fengchi has stepped out of China to set up distribution centers in USA. We will provide customers with high quality services in quicker and more efficient way and promote the continuous improvement of the Fengchi company.

Kubota · JOHN DEERE · SUZUKI · KYMCO · HONDA · POLARIS · GLOBAL GARDEN PRODUCTS · TORO · CFMOTO · YANMAR · SEGWAY · AGCO Your Agriculture Company · ARCTIC CAT SHARE OUR PASSION · NEW HOLLAND AGRICULTURE

SMALL AGRICULTURAL MACHINERY

小型农机

对焊轮毂 - TWO PIECE WELD RIMS

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
3x2	03 0200 01	76.2	Φ35
3x2	03 0200 02	69.8	Φ35
4x2.25	04 0225 06	104.7	Φ42
4x2.25	04 0225 19	76.1	Φ35
4x2.42	040242 02	51.2	Φ35
4x2.5	04 0250 10	66.7	Φ35
4x2.5	04 0250 12	70	Φ25.6
4x2.5	04 0250 13	109.2	Φ35
4x2.5	04 0250 31	95.2	Φ35
5x2.5	05 0250 01	108	Φ35
5x3	05 0300 04	88	Φ52
5x3	05 0300 10	107.5	Φ35
5x3	05 0300 12	100.8	Φ35
5x3	05 0300 14	114.3	Φ35
5x3	05 0300 15	114.3	Φ45.2
5x3	05 0300 16	93.6	Φ52
5x3	05 0300 20	107.8	Φ35
5x3	05 0300 23	120.1	Φ35
5x3	05 0300 24	111	Φ45.2
5x3	05 0300 68	92	Φ42
5x3	05 0300 71	142.9	Φ35
5x3.25	05 0325 03	115.7	Φ45.2
5x3.25	05 0325 04	114.3	Φ45.2
5x3.25	05 0325 07	93.6	Φ50

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
5x3.25	05 0325 15	120.6	Φ35
6x3.25	06 0325 26	146.05	Φ35
6x3.25	06 0325 35	87.8	Φ35
6x3.25	06 0325 42	101	Φ26
6x3.25	06 0325 50	145.1	Φ44.5
6x3.25	06 0325 86	142.6	Φ45.2
6x3.25	06 0325 96	138.9	Φ50
6x3.5	06 0350 01	145.6	Φ45.2
6x3.5	06 0350 05	126.4	Φ52
6x3.5	06 0350 07	155.5	Φ50.8
6x3.5	06 0350 08	51.5	Φ52
6x3.5	06 0350 15	146.9	Φ35
6x3.5	06 0350 18	145.6	Φ45.2
6x3.5	06 0350 21	69	Φ45.2
6x3.5	06 0350 23	142.9	Φ45.2
6x3.5	06 0350 28	145.6	Φ45.2
6x3.5	06 0350 35	127.8	Φ42
6x3.5	06 0350 52	158	Φ35
6x3.5	06 0350 57	65	Φ50
6x4.5	06 0450 06	76	Φ44.5
6x4.5	06 0450 08	83	Φ35
6x4.5	06 0450 11	171.4	Φ52
6x4.5	06 0450 13	170.5	Φ52
6x4.5	06 0450 15	197.56	Φ50.8
6x4.5	06 0450 16	87	Φ19.2
6x4.5	06 0450 17	158.75	Φ25.57
6x4.5	06 0450 18	170	Φ35
6x4.5	06 0450 26	178.8	Φ44.5
6x4.5	06 0450 32	148.6	Φ35
6x4.5	06 0450 36	68	Φ35
6x4.5	06 0450 38	78	Φ35
6x4.5	06 0450 44	166.8	Φ45.2
6x4.5	06 0450 46	66.7	Φ35
6x4.5	06 0450 49	166	Φ35
6x4.5	06 0450 53	88.9	Φ52
6x4.5	06 0450 54	184.2	Φ35
6x4.5	06 0450 56	177.1	Φ35
6x4.5	06 0450 57	181	Φ45.2
6x4.5	06 0450 60	177.1	Φ35
6x4.5	06 0450 63	184.2	Φ45.2
6x4.5	06 0450 64	165	Φ35

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
6x4.5	06 0450 65	88	Φ52
6x4.5	06 0450 74	177.8	Φ45.2
6x4.5	06 0450 75	69.9	Φ25.57
6x4.5	06 0450 77	170.2	Φ45.2
6x4.5	06 0450 81	62	Φ35
6x4.5	06 0450 83	166.8	Φ45.2
6x4.5	06 0450 84	175.3	Φ35
6x4.5	06 0450 88	177.1	Φ35
6x4.5	06 0450 96	184.2	Φ45.2
6x4.5	06 045 116	169.2	Φ42
6x4.5	06 045 129	76.7	Φ35
6x4.5	06 045 151	127.36	Φ42
6x4.5	06 045 162	199.4	Φ49
6x4.5	06 045 163	143	Φ50
6x4.5	06 045 168	183.8	Φ42
8x2.5	08 0250 07	77.5	Φ35
8x2.5	08 0250 09	92.4	Φ35
8x2.5	08 0250 31	112.5	Φ35
8x3.75	08 0375 05	80	Φ52
8x3.75	08 0375 12	133.4	Φ25.68
8x3.75	08 0375 19	70	Φ35
8x3.75	08 0375 20	130.5	Φ45.2
8x3.75	08 0375 22	104.8	Φ50.2
8x3.75	08 0375 57	114.3	Φ25.7
8x4.5	08 0450 04	75.6	Φ35
8x4.5	08 0450 08	166.8	Φ45.2
8x5.375	08 0538 11	69.8	Φ35
8x5.375	08 0538 14	82	Φ50.8
8x5.375	08 0538 17	86	Φ25.7
8x5.375	08 0538 20	69.8	Φ35
8x5.375	08 0538 23	133.4	Φ25.68
8x5.375	08 0538 25	82.6	Φ52
8x5.375	08 0538 32	102	Φ20
8x5.375	08 0538 38	72	Φ52
8x5.375	08 0538 51	82	Φ52
8x5.375	08 0538 53	88.9	Φ19.25
8x5.375	08 0538 88	69.8	Φ35
8x5.375	08 0538 93	75	Φ19.2
8x5.375	08 538 112	51.5	Φ50
8x5.375	08 538 115	174.57	Φ42
8x6.188	08 0620 01	81	Φ49

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
8x6.375	08 0638 01	89	Φ25.57
8x7	08 0700 08	247.2	Φ35
8x7	08 0700 14	106	Φ19.2
8x7	08 0700 17	95	Φ52
8x7	08 0700 20	88.3	Φ19.23
8x7	08 0700 21	96.4	Φ25.57
8x7	08 0700 23	75.6	Φ50.8
8x7	08 0700 29	81.2	Φ50.8
8x7	08 0700 35	85.5	Φ19.23
8x7	08 0700 45	65	Φ52
8x7	08 0700 82	88.9	Φ25.6
8x7	08 0700 84	117.5	Φ25.5
8x7	08 0700 95	88.3	Φ19.2
8x7	08 0700 96	94.68	Φ49
10x3.5	10 0350 01	74	Φ52
10x6	10 0600 83	106	Φ19.2
10x7	10 0700 19	120.6	Φ19.23
10x7	10 070 144	217.1	Φ47
10x7	10 070 177	217.1	Φ52
10x8.5	10 0850 05	97	Φ25.57
12x6.5	12 0650 06	88.9	Φ25.6
12x7.5	12 0750 04	88.3	Φ19.23
12x7.5	12 0750 18	120.6	Φ19.23

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
8x4.375	08 0438 01	2	Φ62	Φ100	3-Φ11.5
8x5.375	08 0538 01	2	Φ64	Φ101.6	4-Φ15
8x5.375	08 0538 02	-2	Φ64	Φ101.6	4-Φ15
8x5.375	08 0538 04	-2	Φ72	Φ114.3	5-Φ15
8x5.375	08 0538 05	18.6	Φ64	Φ101.6	4-Φ13.5
8x5.375	08 0538 07	-2	Φ62	Φ100	3-Φ11.5
8x5.375	08 0538 18	-22.6	Φ64	Φ101.6	4-Φ15
8x5.375	08 0538 31	18.6	Φ72	Φ101.6	4-Φ15
8x5.375	08 0538 40	22.6	Φ64	Φ101.6	4-Φ13.5
8x5.375	08 0538 59	-22.6	Φ72	Φ114.3	5-Φ15
8x5.375	08 0538 63	18.65	Φ72	Φ101.6	4-Φ15
8x6.188	08 0620 02	-33	Φ72	Φ114.3	5-Φ15
8x6.188	08 0620 04	-33	Φ72	Φ101.6	4-Φ15

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
8x6.188	08 0620 08	-33	Φ64	Φ101.6	4-Φ15
8x7	08 0700 05	-23	Φ72	Φ101.6	4-Φ15
8x7	08 0700 26	-2	Φ60	Φ100	4-Φ13.5
8x7	08 0700 27	-2	Φ67	Φ101.6	4-Φ12
8x7	08 0700 42	-2	Φ72	Φ101.6	4-Φ15
8x7	08 0700 44	-23	Φ60	Φ100	4-Φ13.5
8x7	08 0700 55	-2	Φ72	Φ101.6	4-Φ15
8x7	08 0700 57	-2	Φ60	Φ100	4-Φ13.5
8x7	08 0700 64	-2	Φ75	Φ114.3	5-Φ15
8x7	08 0700 66	0	Φ64	Φ101.6	4-Φ15
8x7	08 070 101	-22.65	Φ65	Φ101.6	4-Φ14.3
8x7	08 070 118	0	Φ64	Φ101.6	4-Φ15
9x10	09 1000 02	-2.5	Φ60	Φ100	4-Φ13.5
9x10	09 1000 04	-3	Φ64	Φ101.6	4-Φ15
9x10	09 1000 05	-2.5	Φ67	Φ101.6	4-Φ12.5
10x3.5	10 0350 11	-2.5	Φ60	Φ101.6	4-Φ13.5
10x5.5	10 0550 02	16.6	Φ72	Φ114.3	5-Φ15
10x5.5	10 0550 04	26.25	Φ72	Φ101.6	4-Φ15
10x6	10 0600 01	-5.5	Φ72	Φ114.3	5-Φ15
10x6	10 0600 02	-5.5	Φ72	Φ101.6	4-Φ15
10x6	10 0600 05	-5.5	Φ71.8	Φ101.6	4-Φ15
10x6	10 0600 08	-2.3	Φ70	Φ100	3-Φ13.5
10x6	10 0600 22	-5.5	Φ94	Φ140	5-Φ18.5
10x6	10060075	-4.5	Φ117.5	Φ152.4	6-Φ14.3
10x7	10 0700 01	-2.3	Φ72	Φ101.6	4-Φ15
10x7	10 0700 02	6.7	Φ75	Φ114.3	5-Φ14.2
10x7	10 0700 03	-2.5	Φ79.5	Φ114.3	5-Φ12
10x7	10 0700 04	-28.45	Φ72	Φ101.6	4-Φ15
10x7.75	10 0775 03	-11.5	Φ72	Φ101.6	4-Φ15
10x8.5	10 0850 06	-21.6	Φ71.8	Φ114.3	5-Φ14.8
10x8.5	10 0850 07	-2.5	Φ64	Φ101.6	4-Φ15
10x8.5	10 0850 10	-2.5	Φ64	Φ101.6	4-Φ18.2
10x8.5	10 0850 12	-31.3	Φ64	Φ101.6	4-Φ15
10x8.5	10 0850 21	-34.2	Φ71.8	Φ114.3	5-Φ15

滚压轮毂 - ROLLED RIMS

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
8x7	08 070 098	-46.4	Φ72	Φ101.6	4-Φ15
8x7	08 070 104	-33.9	Φ72	Φ107.95	5-Φ15
9x10	09 1000 11	-32	Φ79.5	Φ114.3	5-Φ13.5
10x2.5	10 0250 02	-37.6	Φ90	Φ136.5	6-Φ10.5
10x3.5	10 0350 19	41	Φ79.5	Φ114.3	5-Φ12
10x5	10 0500 18	88.9	Φ64	Φ101.6	4-Φ14.3
10x5.5	10 0550 14	16.6	Φ72	Φ101.6	4-Φ14.3
10x6	10 0600 15	-30	Φ79.5	Φ114.3	5-Φ14.3
10x6	10 0600 23	-10	Φ70	Φ101.6	4-Φ13
10x6	10 0600 24	0	Φ64	Φ101.6	4-Φ14.3
10x6	10 0600 27	-5.5	Φ72	Φ101.6	4-Φ14.3
10x6	10 0600 30	0	Φ72	Φ101.6	4-Φ14.3
10x6	10 0600 37	-5.5	Φ72	Φ114.3	5-Φ14.3
10x6	10 0600 40	-5.5	Φ67	Φ101.6	4-Φ12.5
10x6	10 0600 42	-5.5	Φ60	Φ100	4-Φ13.5
10x6	10 0600 49	38.1	Φ64	Φ101.6	4-Φ14.3
10x6	10 0600 53	-31	Φ79.5	Φ114.3	5-Φ12
10x6	10 0600 60	0	Φ67	Φ112	5-Φ16
10x6	10 0600 68	8	Φ72	Φ101.6	4-Φ14.3
10x6	10 060 102	0	Φ64	Φ101.6	4-Φ14.3
10x7	10 0700 37	-38	Φ72	Φ101.6	4-Φ14.3

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
10x7	10 0700 39	-14	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 40	12.2	Φ64	Φ101.6	4-Φ14.3
10x7	10 0700 44	-4.3	Φ79.5	Φ114.3	5-Φ12
10x7	10 0700 45	-31.8	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 55	21.2	Φ64	Φ101.6	4-Φ15
10x7	10 0700 64	19.1	Φ80.5	Φ130	4-Φ15
10x7	10 0700 67	-2.4	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 69	0	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 70	25.4	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 71	-18.5	Φ79.5	Φ114.3	5-Φ12.7
10x7	10 0700 74	47.8	Φ79.5	Φ114.3	5-Φ12.7
10x7	10 0700 80	35.6	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 82	-25.4	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 87	3.7	Φ79.5	Φ114.3	5-Φ14.3
10x7	10 0700 90	-31.2	Φ72	Φ101.6	4-Φ14.3
10x7	10 0700 92	44.5	Φ80	Φ114.3	5-Φ14.3
10x7	10 0700 93	-47	Φ79.5	Φ114.3	5-Φ14.3
10x7	10 0700 96	-18	Φ72	Φ101.6	4-Φ14.3
10x7	10 070 100	-7.1	Φ64	Φ101.6	4-Φ14.3
10x7	10 070 104	8.9	Φ72	Φ101.6	4-Φ14.3
10x7	10 070 105	-34.9	Φ79.5	Φ114.3	5-Φ14.3
10x7	10 070 106	-25.4	Φ72	Φ101.6	4-Φ15
10x7	10 070 107	-12.7	Φ64	Φ101.6	4-Φ14.3
10x7	10 070 112	-30.5	Φ72	Φ101.6	4-Φ14.3
10x7	10 070 114	-2	Φ79.8	Φ114.3	5-Φ13.5
10x7	10 070 118	13	Φ79.8	Φ114.3	5-Φ13.5
10x7	10 070 134	-7.8	Φ80	Φ114.3	5-Φ11.5
10x7	10 070 139	-21.2	Φ72	Φ101.6	4-Φ14.3
10x7	10 070 172	137.9	Φ114.3	Φ152.4	4-Φ14.3
10x7	10 070 183	0	Φ72	Φ101.6	4-Φ14.3
10x7	10 070 190	-63.4	Φ72	Φ101.6	4-Φ14.3
10x8	10 0800 13	-9	Φ79.5	Φ114.3	5-Φ13.5
10x8.5	10 0850 15	-33.9	Φ94.5	Φ140	5-Φ18.5
10x8.5	10 0850 16	-51	Φ64	Φ101.6	4-Φ15
10x8.5	10 0850 19	-15	Φ79.5	Φ114.3	5-Φ13.5
10x8.5	10 0850 20	-27	Φ64	Φ101.6	4-Φ14.3
10x8.5	10 0850 31	-26.6	Φ64	Φ101.6	4-Φ15
10x8.5	10 0850 33	0	Φ79.5	Φ114.3	5-Φ14.3
10x8.5	10 0850 51	-91.45	Φ79.5	Φ114.3	5-Φ14.3
10x8.5	10 0850 52	-19.1	Φ79.5	Φ114.3	5-Φ14.3
10x8.5	10 0850 59	-63.4	Φ72	Φ101.6	4-Φ14.3

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
10x8	10080024	120.1	Φ19.23
10x8	10080025	102	Φ25.57

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
12x3	12 0300 03	-45.2	Φ90	Φ136.5	6-Φ10.5
12x3	12 0300 06	34	Φ79.5	Φ114.3	5-Φ13.5
12x7	12 0700 10	0	Φ79.5	Φ114.3	5-Φ13.5
12x7	12 0700 17	20	Φ80	Φ120	6-Φ11
12x7	12 0700 22	38	Φ72	Φ114.3	5-Φ14.3
12x7	12 0700 32	-35.8	Φ68.5	Φ101.6	4-Φ14.3
12x7	12 0700 33	0	Φ68.5	Φ101.6	4-Φ14.3
12x7	12 0700 35	-31.8	Φ79.5	Φ114.3	5-Φ12
12x7	12 0700 36	-19.1	Φ68.5	Φ101.6	4-Φ14.3
12x7	12 0700 40	31.2	Φ79.5	Φ114.3	5-Φ14.3
12x7	12 0700 47	0	Φ72	Φ114.3	5-Φ14.3
12x7	12 0700 54	0	Φ72	Φ101.6	4-Φ14.3
12x7	12 0700 55	-35	Φ79.5	Φ114.3	5-Φ12
12x7	12 0700 57	0	Φ81	Φ114.3	5-Φ14.3
12x7	12 0700 62	-19	Φ72	Φ101.6	4-Φ14.3
12x7	12 0700 64	-17.6	Φ80.5	Φ130	4-Φ15
12x7	12 0700 65	-57.2	Φ72	Φ101.6	4-Φ14.3
12x7	12 0700 66	-25.4	Φ72	Φ101.6	4-Φ14.3
12x7	12 0700 72	0	Φ72	Φ101.6	4-Φ14.8
12x7	12 0700 93	-20	Φ110	Φ140	5-Φ14.8
12x7	12 0700 95	-56	Φ81	Φ114.3	5-Φ14.3
12x7	12 070 102	19.1	Φ72	Φ101.6	4-Φ14.3
12x7	12 070 129	0	Φ90	Φ120	6-Φ13
12x7	12 070 164	40	Φ117.5	Φ152.4	6-Φ15
12x7	12 070 167	-85.04	Φ68.5	Φ101.6	4-Φ14.3
12x7	12 070 187	0	Φ101.6	Φ139.7	5-Φ13.5
12x7	12 070 205	91.4	Φ90	Φ120	6-Φ14.3
12x8	12 0800 03	16.5	Φ131	Φ156	5-Φ10.5
12x8	12 0800 05	34.5	Φ131	Φ156	5-Φ10.5
12x8	12 0800 07	0	Φ75	Φ114.3	5-Φ14.3
12x8	12 0800 15	-8.5	Φ60	Φ114.3	5-Φ13.5
12x8	12 0800 20	-15.3	Φ68.5	Φ101.6	4-Φ14.3
12x8	12 0800 29	-16.5	Φ131	Φ156	5-Φ11.5
12x8	12 0800 31	-4.5	Φ107	Φ160	5-Φ14.5
12x8.5	12 0850 02	-32.5	Φ63.5	Φ101.6	4-Φ14

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
12x8.5	12 0850 06	0	Φ68.5	Φ110	4-Φ14.8
12x8.5	12 0850 08	-61.5	Φ79.5	Φ114.3	5-Φ12
12x8.5	12 0850 12	-44.5	Φ79.5	Φ114.3	5-Φ14.3
12x8.5	12 0850 13	-32	Φ72	Φ101.6	4-Φ14.8
12x8.5	12 0850 19	-40.5	Φ63.5	Φ101.6	4-Φ14
12x8.5	12 0850 25	10	Φ79.5	Φ114.3	5-Φ12
12x8.5	12 0850 27	0	Φ94.5	Φ140	5-Φ18.5
12x8.5	12 0850 34	-20.6	Φ72	Φ114.3	5-Φ14.3
12x8.5	12 0850 35	44.8	Φ72	Φ114.3	5-Φ14.3
12x8.5	12 0850 36	17	Φ72	Φ114.3	5-Φ14.3
12x8.5	12 0850 39	29.2	Φ118	Φ152.4	6-Φ15
12x8.5	12 0850 40	-5.6	Φ81	Φ114.3	5-Φ14.3
12x8.5	12 0850 47	-17	Φ72	Φ101.6	4-Φ14.3
12x8.5	12 0850 55	-26.16	Φ72	Φ101.6	4-Φ14.8
12x8.5	12 0850 56	0	Φ75	Φ114.3	5-Φ14.3
12x8.5	12 0850 57	-44.45	Φ68.5	Φ101.6	4-Φ14.3
12x8.5	12 0850 62	0	Φ50	Φ120	6-Φ12.5
12x8.5	12 0850 63	38	Φ68.5	Φ110	4-Φ16
12x8.5	12 0850 66	10	Φ79.5	Φ114.3	5-Φ12
12x8.5	12 0850 69	-33.3	Φ72	Φ114.3	5-Φ14.3
12x8.5	12 0850 73	-54.9	Φ79.5	Φ114.3	5-Φ12
12x8.5	12 0850 76	0	Φ81	Φ114.3	5-Φ14.3
12x8.5	12 0850 78	-3.2	Φ72	Φ101.6	4-Φ14.3
12x8.5	12 0850 81	-40.6	Φ72	Φ101.6	4-Φ14.3
12x8.5	12 0850 82	0	Φ81	Φ114.3	5-Φ14.3
12x8.5	12 0850 83	-66	Φ81	Φ114.3	5-Φ14.3
12x8.5	12 0850 85	31.8	Φ68	Φ101.6	4-Φ14.3
12x8.5	12 0850 86	46.2	Φ72	Φ101.6	4-Φ14.3
12x8.5	12 0850 91	-28.6	Φ72	Φ101.6	4-Φ14.3
12x8.5	12 0850 98	34.9	Φ68.5	Φ101.6	4-Φ14.3
12x8.5	12 085 100	56.8	Φ93	Φ140	5-Φ14.7
12x8.5	12 085 101	37.3	Φ64	Φ101.6	4-Φ14.3
12x8.5	12 085 102	-44.5	Φ81	Φ114.3	5-Φ14.3
12x8.5	12 085 105	-56	Φ81	Φ114.3	5-Φ14.3
12x8.5	12 085 108	-34.9	Φ72	Φ101.6	4-Φ14.3
12x8.5	12 085 109	-34.3	Φ79.8	Φ114.3	5-Φ13.5
12x8.5	12 085 111	-25.4	Φ63.5	Φ101.6	4-Φ14.3
12x8.5	12 085 116	-9.5	Φ79.5	Φ114.3	5-Φ12
12x8.5	12 085 117	65.1	Φ72	Φ152.4	5-Φ14
12x8.5	12 085 162	-92.94	Φ79.5	Φ114.3	5-Φ12
12x8.5	12 085 162	-8	Φ118	Φ152.4	6-Φ15

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
12x8.5	12 085 128	-57.15	Φ68.5	Φ101.6	4-Φ14.3
12x8.5	12 085 176	-33	Φ93	Φ140	6-Φ13
12x8.5	12 085 182	38	Φ68	Φ110	4-Φ16
12x8.5	12 085 212	-67.1	Φ64	Φ101.6	4-Φ14.3
12x9.5	12 0950 03	-19	Φ118	Φ152.4	6-Φ15
12x9.5	12 0950 12	18.3	Φ72	Φ114.3	5-Φ14.3
12x9.5	12 0950 13	-46.7	Φ72	Φ101.6	4-Φ14.3
12x9.5	12 0950 15	-107.4	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 01	-34	Φ79.5	Φ114.3	5-Φ12
12x10.5	12 1050 02	0	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 03	-25.4	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 04	-5	Φ79.5	Φ114.3	5-Φ12
12x10.5	12 1050 05	3.3	Φ118	Φ152.4	6-Φ15
12x10.5	12 1050 06	-25.4	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 07	-49.2	Φ79.5	Φ114.3	5-Φ12
12x10.5	12 1050 09	-25.4	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 10	31.75	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 14	-57.15	Φ79.8	Φ114.3	5-Φ13.5
12x10.5	12 1050 15	57.2	Φ94.5	Φ140	5-Φ18.5
12x10.5	12 1050 16	-22.2	Φ93	Φ140	5-Φ18.5
12x10.5	12 1050 21	101.4	Φ118	Φ152.4	6-Φ15
12x10.5	12 1050 27	-27.4	Φ79.5	Φ114.3	5-Φ12
12x10.5	12 1050 31	-5	Φ94.5	Φ140	5-Φ18.5
12x10.5	12 1050 32	-46.5	Φ153.9	Φ203.2	8-Φ15
12x10.5	12 1050 33	-26.2	Φ72	Φ101.6	4-Φ14.8
12x10.5	12 1050 36	-57.2	Φ79.5	Φ114.3	5-Φ14.3
12x10.5	12 1050 37	-23	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 38	-40	Φ60	Φ114.3	5-Φ13.5
12x10.5	12 1050 45	-20.8	Φ72	Φ114.3	5-Φ14.3
12x10.5	12 1050 49	12.3	Φ68.5	Φ110	4-Φ16
12x10.5	12 1050 50	-25.4	Φ79.5	Φ114.3	5-Φ14.8
12x10.5	12 1050 51	14.6	Φ94.5	Φ140	5-Φ18.5
12x10.5	12 1050 57	6.4	Φ81	Φ114.3	5-Φ14.3
12x10.5	12 1050 58	-0.76	Φ72	Φ101.6	4-Φ14.8
12x10.5	12 1050 59	33.7	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 60	0	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 63	-59.7	Φ79.8	Φ114.3	5-Φ13.5
12x10.5	12 1050 66	-6.4	Φ79.5	Φ114.3	5-Φ14.3
12x10.5	12 1050 71	-50.8	Φ118	Φ152.4	6-Φ15
12x10.5	12 1050 73	44	Φ118	Φ152.4	6-Φ15
12x10.5	12 1050 74	-54.9	Φ153.9	Φ203.2	8-Φ15

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
12x10.5	12 1050 78	-23	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 99	-54.9	Φ153.9	Φ203.2	8-Φ14
12x10.5	12 105 121	0	Φ118	Φ152.4	6-Φ15
12x10.5	12 105 133	164.75	Φ184.2	Φ215.9	5-Φ13
12x10.5	12 105 148	-82.26	Φ66	Φ114.3	5-Φ15.9
13x4.5	13 0450 02	11	Φ78	Φ115	4-Φ13.8
13x4.5	13 0450 09	72.3	Φ65.1	Φ120.7	5-Φ14
14x7	14 0700 04	3.1	Φ65.5	Φ101.6	4-Φ13.5
14x8	14 0800 01	-3.9	Φ65.5	Φ101.6	4-Φ13.5
14x8	14 0800 12	-3.9	Φ65.5	Φ101.6	4-Φ16
14x8	14 0800 17	10.2	Φ79.5	Φ114.3	5-Φ12
14x8	14 0800 42	-7.8	Φ79.5	Φ114.3	5-Φ15.5
14x10.5	14 1050 02	-16.1	Φ79.5	Φ114.3	5-Φ12
14x10.5	14 1050 03	-32.1	Φ65.5	Φ101.6	4-Φ13.5
14x10.5	14 1050 10	-38.3	Φ60	Φ114.3	5-Φ15.5

LARGE AGRICULTURAL MACHINERY

大型农机

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
8x5.375	08 0538 49	59.75	Φ74	Φ94	4-Φ11
10x3	10 0300 01	-40.5	Φ50	Φ75(Φ85)	4-Φ11(4-Φ13)
10x3	10 0300 02	23.5	Φ50	Φ75	4-Φ11
10x3	10 0300 03	0	Φ66	Φ101.6	4-Φ11.6
10x3.5	10 0350 08	-70	Φ74	Φ94	4-Φ11
10x5.375	10 0538 01	11.85	Φ64	Φ101.6	4-Φ15
10x6	10 0600 12	22.65	Φ70	Φ100	4-Φ13
10x6	10 0600 20	-4.5	Φ117.5	Φ152.4	6-Φ14.3
10x6	10 0600 75	-4.5	Φ117.5	Φ152.4	6-Φ14.3
10x8	10 0800 03	-18.5	Φ79.5	Φ114.3	5-Φ12
10x8	10 0800 08	-18.5	Φ80	Φ120	6-Φ11
10x8	10 0800 11	-25	Φ80	Φ120	6-Φ13
10x8	10 0800 12	-53	Φ101.8	Φ139.7	5-Φ13
10x8	10 0800 14	53	Φ80	Φ110	4-Φ11
10x8.5	10 0850 28	-2.5	Φ80	Φ120	6-Φ13
10x11.15	10 1115 01	2.5	Φ64	Φ101.6	4-Φ15
12x3.75	12 0375 01	-4	Φ85.9	Φ114.3	5-Φ13.2
12x3.75	12 0375 02	-3.5	Φ85.9	Φ114.3	5-Φ13.2
12x4	12 0400 04	32	Φ60	Φ114.3	4-Φ12.5
12x4	12 0400 07	30	Φ80	Φ120	6-Φ11
12x4	12 0400 08	10	Φ90	Φ120	6-Φ12.5
12x4	12 0400 09	30	Φ90	Φ120	6-Φ13
12x5	12 0500 01	-57	Φ50	Φ85	4-Φ13
12x5	12 0500 05	10	Φ90	Φ120	6-Φ13
12x5	12 0500 08	-54	Φ74	Φ94	4-Φ11

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
12x5	12 0500 10	20	Φ80	Φ120	6-Φ11
12x7	12070101	0	Φ100.5	Φ140	6-Φ19
12x10.5	12 1050 26	-19	Φ66.5	Φ112	5-Φ19.5
12x10.5	12 1050 28	0	Φ79.5	Φ114.3	5-Φ13.5
12x10.5	12 1050 40	0	Φ93	Φ140	6-Φ13
12x10.5	12 1050 47	58	Φ79.5	Φ114.3	5-Φ13.5
13x9.45	13 0945 01	6	Φ134.8	Φ170	8-Φ17.9
14x5	14 0500 01	15	Φ80	Φ120	6-Φ11
14x5	14 0500 02	80	Φ80	Φ120	6-Φ13
14x6	14 0600 24	38.4	Φ70	Φ110	4-Φ16
14x6	14 0600 29	25	Φ70	Φ110	4-Φ13
14x7	14 0700 01	10	Φ90	Φ120	6-Φ13
14x7	14 0700 03	22.9	Φ90	Φ150	6-Φ15
14x8	14 0800 03	57.1	Φ117.5	Φ152.4	6-Φ15.8
14x8	14 0800 28	30	Φ112	Φ160	5-Φ17
15x6	15 0600 01	-28.5	Φ117.5	Φ152.4	6-Φ15
15x6	15 0600 07	28.5	Φ117.5	Φ152.4	6-Φ15
15x7	15 0700 21	-36	Φ110	Φ150	6-Φ13
15x8	15 0800 01	28.5	Φ117.5	Φ152.4	6-Φ15
15x8	15 0800 02	50	Φ117.5	Φ152.4	6-Φ15
15x8	15 0800 05	28.5	Φ152.4	Φ203.2	8-Φ17.5
15x8	15 0800 09	28.5	Φ117.5	Φ152.4	6-Φ15
15x8	15 0800 10	0	Φ117.5	Φ152.4	6-Φ15
15x8	15 0800 18	28.7	Φ117.5	Φ152.4	6-Φ15
15x10	15 1000 13	-28.7	Φ203.2	Φ241.3	9-Φ17.5
15x10	15 1000 14	10.9	Φ117.5	Φ152.4	6-Φ15
15x10	15 1000 15	-15.5	Φ117.5	Φ152.4	6-Φ15
15x10	15 1000 16	1.1	Φ201.6	Φ241.3	9-Φ14.3
15x10	15 1000 21	-12.7	Φ160.5	Φ180	8-Φ10.7
15x10	15 1000 29	-30.2	Φ93	Φ140	5-Φ14.7
15x10	15 1000 30	20.6	Φ93	Φ140	5-Φ14.7
15x10	15 1000 33	28.5	Φ17.5	Φ152.4	6-Φ15
15x10	15 1000 34	28.5	Φ117.5	Φ152.4	6-Φ15
15x10	15 1000 35	28.5	Φ152.4	Φ203.2	8-Φ17.5
15x10	15 1000 47	28.6	Φ117.5	Φ152.4	6-Φ15
15x10	15 1000 50	-24	Φ117.5	Φ152.4	6-Φ17
15x10	15 1000 52	-44.5	Φ108	Φ139.7	6-Φ14.3
15x10	15 1000 62	142.43	Φ103.1	Φ177.8	4-Φ20.6
15x12	15 1200 01	-57	Φ152.4	Φ203.2	8-Φ17.5
15x12	15 1200 02	12.7	Φ117.5	Φ152.4	6-Φ15
15x13	15 1300 01	-10	Φ93	Φ140	10-Φ17.5

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
15x13	15 1300 03	-5	Φ100	Φ135	11-Φ18.5
15x13	15 1300 04	-36.5	Φ100	Φ135	11-Φ18.5
15x13	15 1300 05	-37.1	Φ50	Φ120	6-Φ12.5
15x13	15 1300 07	-20.6	Φ93	Φ140	10-Φ14.8
15x13	15 1300 08	-57.1	Φ120	Φ150	6-Φ13.5
15x13	15 1300 09	-37.1	Φ50	Φ120	6-Φ14.5
15x13	15 1300 12	30.3	Φ93.2	Φ140	10-Φ17.5
16x5	16 0500 01	35	Φ117.4	Φ152.4	6-Φ15
16x5	16 0500 02	66	Φ117.4	Φ152.4	6-Φ15
16x5	16 0500 03	-33	Φ117.4	Φ152.4	6-Φ15
16x5	16 0500 05	39.7	Φ115.5	Φ165	5-Φ18.5
16x5	16 0500 07	-42	Φ70	Φ115	4-Φ15
16x5	16 0500 08	30	Φ110	Φ150	6-Φ13
16x5	16 0500 10	35	Φ152	Φ203.2	8-Φ17.5
16x5	16 0500 12	-19	Φ110	Φ150	6-Φ13
16x5	16 0500 13	-15	Φ79.5	Φ114.3	5-Φ13.5
16x6	16 0600 09	28.5	Φ117.8	Φ152.4	6-Φ15
16x6	16 0600 12	76.7	Φ101.6	Φ139.7	5-Φ13.5
16x7	16 0700 05	1	Φ110	Φ139.7	6-Φ15
16x8	16 0800 07	28.5	Φ117.8	Φ152.4	6-Φ15.2
16x10	16 1000 03	28.5	Φ117.8	Φ152.4	6-Φ15.2
16x10.5	16 1050 02	-54	Φ79.5	Φ114.3	5-Φ13.5
16x10.5	16 1050 06	-54	Φ79.5	Φ114.3	5-Φ13.5
16.1x11	161 110 02	-116.2	Φ117.5	Φ152.4	6-Φ15
16.1x11	161 110 03	0	Φ161	Φ205	6-Φ21.5
16.1x14	161 140 02	0	Φ152.4	Φ203.2	8-Φ16.5
16.1x14	161 140 03	-144.7	Φ152.4	Φ203.2	8-Φ16.5
16.1x16	161 160 01	-162.3	Φ152.4	Φ203.2	8-Φ16.5
16.1x16	161 160 04	-170.2	Φ152.4	Φ203.2	8-Φ16.5
16.5x8.25	165 825 05	-33.5	Φ152.4	Φ203.2	8-Φ17
16.5x8.25	165 825 06	9.7	Φ152.4	Φ203.2	8-Φ17
16.5x8.25	165 825 09	5	Φ117.4	Φ152.4	6-Φ16.7
16.5x8.25	165 825 10	74.7	Φ152.4	Φ203.2	8-Φ17
16.5x8.25	165 825 11	28.4	Φ152.4	Φ203.2	8-Φ17
16.5x8.25	165 825 19	-52.3	Φ2016.6	Φ241.3	9-Φ17.5
16.5x8.25	165 825 31	9	Φ152.4	Φ203.2	8-Φ17
16.5x9.75	165 975 05	50	Φ221.5	Φ275	8-Φ20
16.5x9.75	165 975 06	-42.8	Φ152.4	Φ203.2	8-Φ17
16.5x9.75	165 975 08	27	Φ152.4	Φ203.2	8-Φ17
16.5x9.75	165 975 09	84.1	Φ152.4	Φ203.2	8-Φ17
16.5x9.75	165 975 13	20	Φ94	Φ140	5-Φ18.5

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
16.5x9.75	165 975 22	66	Φ117.5	Φ152.4	4-Φ17
16.5x9.75	165 975 44	22	Φ152.4	Φ203.2	8-Φ17
17.5x10.5	175 105 01	7.9	Φ117.5	Φ152.4	6-Φ12.7
17.5x10.5	175 105 03	28.4	Φ117.5	Φ152.4	6-Φ15
17.5x10.5	175 105 14	-47.9	Φ152.4	Φ203.2	8-Φ17
18x6	18 0600 01	42	Φ90	Φ150	6-Φ15
18x6	18 0600 02	20	Φ114.5	Φ152	6-Φ15
18x6	18 0600 03	0	Φ101.6	Φ139.7	5-Φ13.5
18x6	18 0600 05	27.8	Φ117.4	Φ152.4	6-Φ15
18x6	18 0600 06	30	Φ117.4	Φ152.4	6-Φ15
18x6	18 0600 08	-3.5	Φ104.2	Φ139.7	10-Φ13
18x6	18 0600 10	60	Φ135	Φ170	6-Φ17
18x6	18 0600 11	35	Φ91	Φ150	6-Φ15.5
19.5x11.75	195 118 01	-66.1	Φ135.2	Φ170	6-Φ17
20x6	20 0600 01	42	Φ90	Φ120	6-Φ15
20x7	20 0700 01	20	Φ114.5	Φ152	6-Φ15
20x7	20 0700 02	12	Φ90	Φ120	6-Φ15
20x8	20 0800 03	17.5	Φ161	Φ195	5-Φ18
20x11	20 1100 04	-56.4	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 05	42	Φ152.5	Φ203.2	8-Φ17.5
20x11	20 1100 06	0	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 12	-39	Φ161	Φ205	6-Φ17
20x15	20 1500 03	-63.5	Φ135	Φ170	6-Φ17
22x7	22 0700 01	27	Φ90	Φ120	6-Φ15
22x7	22 0700 02	12	Φ90	Φ120	6-Φ15
24x9	24 0900 01	40	Φ135	Φ170	6-Φ17
24x9	24 0900 02	16.2	Φ117.5	Φ152.4	6-Φ15
24x10	24 1000 02	-89	Φ152.5	Φ203.2	8-Φ17.5
24x10	24 1000 03	21.5	Φ161	Φ205	6-Φ17
24x10	24 1000 05	-91	Φ152.5	Φ203.2	8-Φ20
24x10	24 1000 09	67	Φ135	Φ170	6-Φ17
24x12	24 1200 01	-30.2	Φ152.5	Φ203.2	8-Φ17.5
24x12	24 1200 03	63.5	Φ135.2	Φ170	6-Φ17
24x12	24 1200 04	-31.5	Φ161	Φ205	6-Φ17
24x12	24 1200 06	83.9	Φ135	Φ170	6-Φ17
24x12	24 1200 08	-14.3	Φ161	Φ205	6-Φ17
26x11	26 1100 01	-136	Φ152.6	Φ203.2	8-Φ15
26x11	26 1100 02	14	Φ152.5	Φ203.2	8-Φ19.5
26x11	26 1100 05	14	Φ135	Φ170	6-Φ17.5
26x11	26 1100 06	14	Φ135	Φ170	6-Φ17.5
26x11	26 1100 09	12	Φ153	Φ203.2	8-Φ15.5

ALL TERRAIN VEHICLES
全地形车

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
10x8	10 0800 05	-53	Φ110	Φ135	4-Φ13
10x8	10 0800 06	-29.4	Φ63.8	Φ101.6	4-Φ15
12x6	12 0600 01	25	Φ60	Φ110	4-Φ13
12x6	12 0600 03	15	Φ60	Φ110	4-Φ13
12x6	12 0600 05	-56.6	Φ162	Φ180.1	8-Φ11.2
12x6	12 0600 06	46.4	Φ79.5	Φ114.3	5-Φ13.5
12x6	12 0600 08	-6	Φ70	Φ110	4-Φ13
12x6	12 0600 11	15	Φ70	Φ110	4-Φ14.5
12x6	12 0600 12	38	Φ56	Φ110	4-Φ13
12x6	12 0600 15	10	Φ60	Φ110	4-Φ13
12x6	12 0600 20	10	Φ60	Φ110	4-Φ13
12x6	12 0600 21	34	Φ56	Φ110	4-Φ13
12x6	12 0600 23	38.2	Φ66.5	Φ115	4-Φ13
12x6	12 0600 28	20	Φ60	Φ110	4-Φ14.5
12x6	12 0600 44	26.2	Φ112	Φ156.2	4-Φ15
12x6	12 0600 45	35	Φ60	Φ110	4-Φ13
12x6.5	12 0650 01	35	Φ0	Φ115	4-Φ13
12x6.5	12 0650 02	35	Φ56	Φ110	4-Φ13
12x6.5	12 0650 04	35	Φ66.5	Φ115	4-Φ13
12x7	12 0700 02	23	Φ68.5	Φ110	4-Φ14.8
12x7	12 0700 03	37	Φ79.5	Φ114.3	5-Φ12
12x7	12 0700 05	42	Φ68.5	Φ110	4-Φ14.8
12x7	12 0700 06	3	Φ68.5	Φ110	4-Φ14.8
12x7	12 0700 98	34	Φ60	Φ110	4-Φ14.3
12x7	12 070 122	-19	Φ72	Φ101.6	4-Φ14.3
12x7	12 070 123	-45	Φ72	Φ101.6	4-Φ14.3
12x7	12 070 176	106.4	Φ110	Φ110	4-Φ14.3
12x7.5	12 0750 01	-21	Φ60	Φ110	4-Φ13
12x7.5	12 0750 02	40	Φ60	Φ110	4-Φ13
12x7.5	12 0750 03	25	Φ60	Φ110	4-Φ13
12x7.5	12 0750 07	41	Φ60	Φ110	4-Φ13
12x7.5	12 0750 10	3	Φ70	Φ110	4-Φ13
12x7.5	12 0750 12	46.5	Φ70	Φ110	4-Φ14.5
12x7.5	12 0750 13	48	Φ56	Φ110	4-Φ13
12x7.5	12 0750 16	-21	Φ60	Φ110	4-Φ13
12x7.5	12 0750 19	-21	Φ56	Φ110	4-Φ13

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
12x7.5	12 0750 20	15	Φ60	Φ110	4-Φ13
12x7.5	12 0750 23	49.5	Φ66.5	Φ115	4-Φ13
12x7.5	12 0750 27	46.5	Φ70	Φ110	4-Φ14.5
12x7.5	12 0750 30	49.5	Φ60	Φ110	4-Φ14.5
12x7.5	12 0750 32	36.5	Φ70	Φ110	4-Φ14.5
12x7.5	12 0750 43	40	Φ60	Φ110	4-Φ13
12x8	12 0800 02	42	Φ79.5	Φ114.3	5-Φ12
12x8	12 0800 10	42	Φ79.5	Φ114.3	5-Φ13.5
12x8	12 0800 33	31	Φ112	Φ156.2	4-Φ15
12x9.5	12 0950 04	17	Φ60	Φ110	4-Φ13
12x9.5	12 0950 05	-40	Φ60	Φ110	4-Φ13
12x9.5	12 0950 06	20	Φ60	Φ110	4-Φ13
12x9.5	12 0950 07	-29	Φ60	Φ110	4-Φ13
14x6	14 0600 01	25	Φ60	Φ110	4-Φ13
14x6	14 0600 03	52.9	Φ115	Φ156.2	4-Φ13
14x6	14 0600 07	40.2	Φ115	Φ156.2	4-Φ13
14x6	14 0600 09	52.9	Φ132	Φ156.2	4-Φ13
14x6	14 0600 19	-10	Φ60	Φ110	4-Φ13
14x6	14 0600 22	23	Φ60	Φ110	4-Φ13
14x6.5	14 0650 01	30	Φ56	Φ110	4-Φ13
14x6.5	14 0650 02	13	Φ105	Φ137	4-Φ14.3
14x7	14 0700 05	23	Φ70	Φ110	4-Φ13
14x7	14 0700 11	46.5	Φ70	Φ110	4-Φ15
14x7	14 0700 13	10	Φ60	Φ110	4-Φ13
14x7.5	14 0750 01	41	Φ60	Φ110	4-Φ13
14x7.5	14 0750 03	24	Φ79.5	Φ114.3	5-Φ13.5
14x7.5	14 0750 04	25	Φ60	Φ110	4-Φ13
14x7.5	14 0750 08	46.5	Φ60	Φ110	4-Φ13
14x8	14 0800 04	63.5	Φ115	Φ156.2	4-Φ13
14x8	14 0800 05	79	Φ115	Φ156.2	4-Φ13
14x8	14 0800 08	35	Φ56	Φ110	4-Φ13
14x8	14 0800 09	39.6	Φ79.5	Φ114.3	5-Φ13.5
14x8	14 0800 14	40	Φ60	Φ110	4-Φ13
14x8	14 0800 18	-3	Φ73	Φ114.3	5-Φ14.3
14x8	14 0800 19	32.7	Φ105	Φ137	4-Φ14.3
14x8	14 0800 20	46.5	Φ70	Φ110	4-Φ13
14x8	14 0800 21	63.5	Φ132	Φ156.2	4-Φ13
14x8	14 0800 34	20	Φ60	Φ110	4-Φ13
14x8	14 0800 37	46.5	Φ70	Φ110	4-Φ15
14x8	14 0800 58	-7.8	Φ60	Φ114.3	5-Φ15.5
14x10	14 1000 01	-19.6	Φ73	Φ114.3	5-Φ14.3

CONSTRUCTION MACHINERY
工程机械

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
15x8	15 0800 20	-18	Φ201.6	Φ241.3	9-Φ17.5
15x8	15 0800 21	50	Φ117.5	Φ152.4	6-Φ15
20x11	20 1100 17	-139.2	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 21	-25.4	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 23	-23.5	Φ221	Φ275	8-Φ22
20x11	20 1100 25	-120.7	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 26	-95.2	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 29	-63.2	Φ201.6	Φ241.3	9-Φ17.5
20x11	20 1100 30	-118.8	Φ201.6	Φ241.3	9-Φ17.5

GOLF CARTS
高尔夫车

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
8x7	08 0700 01	-2	Φ72	Φ101.6	4-Φ15
8x7	08 0700 05	-20.7	Φ72	Φ101.6	4-Φ15
8x7	08 0700 65	-25	Φ72	Φ101.6	4-Φ15
8x8.5	08 0850 01	-3.7	Φ64	Φ101.6	4-Φ15
8x8.5	08 0850 02	-3.7	Φ72	Φ101.6	4-Φ15
8x8.5	08 0850 06	-3	Φ64	Φ101.6	4-Φ15
8x8.5	08 0850 08	-2	Φ72	Φ114.3	5-Φ15
8x8.5	08 0850 10	-3	Φ67	Φ101.6	4-Φ12.5
8x8.5	08 0850 11	-3	Φ60	Φ100	4-Φ13.5
8x8.5	08 0850 12	-2	Φ60	Φ100	4-Φ13.5
10x7	10 0700 08	-21.2	Φ72	Φ101.6	4-Φ15
10x7	10 0700 18	-17.5	Φ65	Φ100	5-Φ13.5
10x7	10 0700 94	-21.2	Φ72	Φ101.6	4-Φ14.3
10x8	10 0800 01	-17.5	Φ75	Φ114.3	5-Φ14
10x8	10 0800 02	-29.4	Φ71.8	Φ101.6	4-Φ15
12x7	12 0700 31	-12.7	Φ68.5	Φ101.6	4-Φ14.3

BALANCE SCOOTERS

平衡车

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
10x5	10 0500 01	-16.9	Φ125	Φ155	4-Φ11
10x5	10 0500 08	-39.75	Φ49.25	Φ76.2	3-Φ8.5

TRAILERS
拖车

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
8x2.5	08 0250 06	-2	Φ85	Φ115	4-Φ12.5
8x3.75	08 0375 01	-2	Φ68.5	Φ114.3	5-Φ15
8x3.75	08 0375 02	-2	Φ72	Φ101.6	4-Φ15
8x3.75	08 0375 15	-2	Φ64	Φ101.6	4-Φ15
8x7	08 0700 03	-2	Φ72	Φ101.6	4-Φ15
8x7	08 0700 04	-2	Φ72	Φ114.3	5-Φ15
8x7	08 0700 09	-2.5	Φ72	Φ114.3	5-Φ15
8x8.5	08 0850 09	-2	Φ72	Φ114.3	5-Φ15
12x4	12 0400 01	0	Φ75	Φ114.3	5-Φ14.3
12x4	12 0400 02	0	Φ68.5	Φ101.6	4-Φ14.3
12x4	12 0400 03	0	Φ75	Φ114.3	5-Φ14.3
12x4	12 0400 16	0	Φ72	Φ114.3	5-Φ14.3
12x4	12 0400 18	0	Φ75	Φ114.3	5-Φ14.3
12x4	12 0400 19	0	Φ68.5	Φ101.6	4-Φ14.3
12x4	12 0400 21	0	Φ75	Φ114.3	5-Φ14.3
13x4.5	13 0450 01	0	Φ81	Φ114.3	5-Φ14.3

FORKLIFTS

叉车

叉车 - FORKLIFT

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
7x3	07 0300 01	0	Φ80	Φ110	4-Φ10.5
8x2.5	08 0250 08	-4	Φ85.7	Φ114.3	5-Φ10.3
8x2.5	08 0250 16	-3	Φ85.7	Φ114.3	5-Φ15.1
3.00D-8	08 0250 15	5	Φ110	Φ142	5-Φ18.5
8x3.75	08 0375 04	-3.5	Φ64	Φ114.3	5-Φ15.1
8x3.75	08 0375 06	-3.5	Φ85.7	Φ114.3	5-Φ15.1
8x3.75	08 0375 07	-3.5	Φ71.4	Φ101.6	4-Φ15.1
8x3.75	08 0375 24	-3.5	Φ85.7	Φ114.3	5-Φ15.1
8x3.75	08 0375 25	-3.5	Φ71	Φ101.6	4-Φ15
8x3.75	08 0375 28	-3.5	Φ64	Φ114.3	5-Φ15.1
8x3.75	08 0375 34	-3.5	Φ71.4	Φ114.3	5-Φ15.1
4.33R-8	08 0433 04	5	Φ102.5	Φ142	6-Φ17
4.33R-8	08 0433 05	20	Φ110	Φ145	5-Φ18.5
9x4	09 0400 06	-4.5	Φ108	Φ139.7	5-Φ13.5
9x4	09 0400 07	-4.5	Φ85.8	Φ114.3	5-Φ13.5
4.00E-09	09 0400 18	5	Φ110	Φ145	5-Φ18.5
6.00E-09	09 0600 01	4	Φ103	Φ142	6-Φ21
10x5	10 0500 09	-4.5	Φ106.3	Φ139.7	5-Φ13.5
10x5	10 0500 17	0	Φ150	Φ180	5-Φ18
10x5.5	10 0550 05	-4	Φ101.8	Φ139.8	5-Φ13.5
6.50F-10	10 0650 01	20	Φ99.5	Φ136	8-Φ17
6.50F-10	10 0650 02	35	Φ110	Φ145	7-Φ18.5
12x3.75	12 0375 02	0	Φ86	Φ114.3	5-Φ13.6
12x5.5	12 0550 01	-4	Φ92.7	Φ127	4-Φ14
14x6	14 0600 05	-4	Φ102	Φ139.7	5-Φ14
14.5x6	145 060 01	-4	Φ102	Φ139.7	5-Φ14
14.5x7	145 070 01	-23	Φ201.6	Φ241.3	9-Φ17.5
14.5x7	145 070 02	-23	Φ152.5	Φ203.2	8-Φ17.5
14.5x7	145 070 03	13	Φ201.6	Φ241.3	9-Φ17.5

SNOW SWEEPERS
扫雪车

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
4x2.42	04 0242 01	96.8	Φ19.2
4x2.42	04 0242 04	106.3	Φ16.25
6x3.25	06 0325 01	107	Φ19.1
6x3.25	06 0325 02	115.8	Φ25.57
6x3.25	06 0325 07	156.2	Φ19.1
6x3.25	06 0325 13	145.3	Φ26
6x3.25	06 0325 23	133.4	Φ22.1
6x3.25	06 0325 24	133.4	Φ19.1
8x3.75	08 0375 03	145.3	Φ26
8x3.75	08 0375 11	156.2	Φ22.1
8x3.75	08 0375 13	156.2	Φ19.2
8x3.75	08 0375 14	127	Φ19.2
8x3.75	08 0375 16	101.8	Φ29
8x3.75	08 0375 18	93.5	Φ26.2
8x3.75	08 0375 30	117.5	Φ19.2
8x5.375	08 0538 17	88.5	Φ25.57
8x5.375	08 0538 22	156.2	Φ19.1
8x5.375	08 0538 24	127	Φ19.2
8x5.375	08 0538 26	101.8	Φ29
8x5.375	08 0538 29	93.5	Φ26.2
8x5.375	08 0538 32	101.6	Φ20

SCOOTERS
摩托车

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
10x1.6	10 0160 01	65	Φ25.5
10x1.6	10 0160 03	67	Φ25.5
10x2.15	10 0215 01	58.8	Φ30
10x2.15	10 0215 02	30	19*37.5°*1.0
10x2.15	10 0215 03	91.4	Φ30
10x2.15	10 0215 04	27	17*22°*0.75
10x2.15	10 0215 05	76.5	Φ30
10x2.15	10 0215 06	38	18*20°*1.0
10x2.15	10 0215 07	91	Φ35
10x2.15	10 0215 08	53.5	19.5*18°*1.0
10x2.15	10 0215 09	26	43*30°*1.0
10x2.15	10 0215 10	67	Φ30
10x2.15	10 0215 11	76.8	Φ45.2
10x2.15	10 0215 12	72	Φ32
10x2.15	10 0215 13	74	Φ32
10x2.15	10 0215 14	37	19*37.5°*1.0
10x2.15	10 0215 15	75.5	Φ32
10x2.15	10 0215 16	100	Φ32
10x2.15	10 0215 17	74	Φ32
10x2.15	10 0215 19	95	Φ32
10x2.15	10 0215 20	85	Φ32

WHEEL SIZE 规格	PRODUCT CODE 产品编号	WHEEL RIM LENGTH 芯子长度	RIM ID 轴套内径
10x2.15	10 0215 21	91.5	Φ32
10x2.15	10 0215 22	74	Φ32
10x2.15	10 0215 24	86.5	Φ32
10x2.15	10 0215 25	108.5	Φ32
10x2.15	10 0215 27	74	Φ32
10x2.15	10 0215 28	74	Φ32
10x2.15	10 0215 29	74	Φ32
10x2.15	10 0215 30	70	Φ32
10x2.15	10 0215 32	67	Φ30
10x2.15	10 0215 35	68.5	Φ32
10x2.15	10 0215 40	74	Φ32
10x2.15	10 0215 41	87.5	Φ32
10x2.15	10 0215 42	85.6	Φ26
10x2.15	10 0215 43	27	17*22°*0.75

WHEEL SIZE 规格	PRODUCT CODE 产品编号	OFFSET 偏距	CENTER HOLE 中心孔	P.C.D 分布圆	BOLT HOLE 螺栓孔
10x2.15	10 0215 01	8.6	Φ116	Φ140	4-Φ8.5
10x2.5	10 0250 01	20.5	Φ147	Φ170	4-Φ8.5
10x5.5	10 0550 08	-8	Φ172.5	Φ188	6-M6
12x2.15	12 0215 01	8.6	Φ116	Φ140	4-Φ8.5

WE ARE NOT PERFECT BUT WE STRIVE FOR IT.

我们不尽完美，但我们极力追求

回眸走过的艰辛与汗水，风驰人团结拼搏，从不懈怠，持续提升品牌价值，为客戶打造最优越的产品服务方案。未来，我们将继续贴紧市场需求，以品质成就世界的风驰品牌。努力成为全球知名低速车辆制造企业的最佳战略合作伙伴！让我们一起转动，奔向最美的愿景！

Fengchi people are united, working hard and enhancing the brand value continuously. We aim to create the most superior service schemes of products for our customers. Fengchi employess will always continue to stick to the market demand to make Fengchi an innovative brand with top quality. We will be focused with a professional spirit for Fengchi to be seen by the world and be the best strategic partner of low-speed vehicle manufacturing. Let's create a revolution together for sustainable transportation!

浙江风驰机械有限公司（总公司）
浙江省温岭市松门镇东南工业区
电话：0576-8662 3280 传真：0576-8666 5454
邮箱：fc@fengchi.com

ZHEJIANG FENGCHI MECHANICAL CO.,LTD. - (Headquarters)
Dongnan Industrial Park, Songmen Town, Wenling City, Zhejiang, China 317511
TEL: +086-576-86623280 FAX: +086-576-86665454
Mail: fc@fengchi.com

台州市风驰车轮有限公司（子公司）
浙江省温岭市城西街道九龙工业区
电话：0576-8696 1398 传真：0576-8697 1951
邮箱：wzq@fcmech.com

TAIZHOU FENGCHI WHEEL CO.,LTD. - (Branch)
Jiulong Industrial Park, West Street, Wenling City, Zhejiang, China 317500
TEL: +086-576-86961398 FAX: +086-576-86971951
Mail: wzq@fcmech.com

美国安特固轮胎与车轮公司（子公司）
地址：美国乔治亚州纽南圣约翰街 8 号
电话：+01-470-414-2831
邮箱：rgraham@antegowheels.com

ANTEGO TIRE AND WHEEL INC. - (Branch)
8 St. John Circle, Newnan, Georgia, USA 30265
TEL: +01-470-414-2831
MAIL: rgraham@antegowheels.com

杭州艾特固实业有限公司（子公司）
地址：浙江省杭州市钱塘航空大厦 1 幢 2904 室
电话：0571-86939930 传真：0571-86938380
邮箱：wwj@fcmech.com

HANGZHOU ANTEGO INSUSTY CO.,LTD. - (Branch)
Room 2904, Building 1, Qiantang Aviation Mansion, Hangzhou, Zhejiang, China
TEL: +086-571-86939930 FAX: +086-571-86938380
MAIL: wwj@fcmech.com

www.fengchi.com